

1. (canceled)
2. (canceled)
3. (canceled)
4. (canceled)
5. (canceled)
6. (canceled)
7. (canceled)
8. (canceled)
9. (canceled)
10. (canceled)
11. (canceled)
12. (canceled)
13. (canceled)
14. (canceled)
15. (canceled)
16. (twice amended) A method of aborting a migraine attack, wherein the migraine attack is characterized by symptoms including nausea, photophobia and phonophobia, comprising the steps of administering to a human subject during a prodrome phase of the migraine

attack a migraine abortive effective amount of a composition comprising a combination of pseudoephedrine and acetaminophen.

17. (canceled)

18. (original) A method for treating migraine pain and nausea characteristic of a migraine attack comprising the steps of administering to a human subject a composition comprising a combination of pseudoephedrine and acetaminophen in an amount effective to reduce the migraine pain and nausea characteristic of a migraine attack.

19. (canceled)

20. (original) A method for treating migraine pain and photophobia characteristic of a migraine attack comprising the steps of administering to a human subject a composition comprising a combination of pseudoephedrine and acetaminophen in an amount effective to reduce the migraine pain and photophobia characteristic of a migraine attack.

21. (canceled)

22. (original) A method for treating migraine pain and phonophobia characteristic of a migraine attack comprising the steps of administering to a human subject a composition comprising a combination of pseudoephedrine and acetaminophen in an amount effective to reduce the migraine pain and phonophobia characteristic of a migraine attack.

23. (canceled)

24. (canceled)

25. (canceled)

26. (cancel)

27. (canceled)

28. (canceled)

29. (canceled)

30. (canceled)

31. (canceled)

32. (canceled)

33. (canceled)

34. (canceled)

35. (canceled)

36. (canceled)

37. (canceled)

38. (canceled)

39. (canceled)

40. (canceled)

41. (canceled)

42. (canceled)